


# CONSTRUCTION & MINING BIAS TIRES



# YOKOHAMA

## PHILOSOPHY

Since our establishment in 1917, our philosophy has been to embrace new ideas while upholding traditional values. Yokohama engineers and chemists push the limits of technology, delivering exceptional products designed to exceed your expectations. While toughness and value are built into every tire we make, it's our standards that set us apart. Because we're committed to delivering the highest quality products designed specifically to support your business.

### LONGEVITY

When your productivity depends on your equipment, you want a brand you can trust. For more than 40 years, the world's largest companies have chosen Yokohama's Off-The-Road (OTR) tires for their ability to endure the harsh environments of the construction and mining industries.

### CONSISTENCY

You can rely on Yokohama for consistency not only in our engineering and manufacturing principles, but in our rigorous quality control and testing. Yokohama tires will deliver reliable performance on every job, every day.


### CONFIDENCE

An OTR tire absorbs more impact than a professional fighter, so you don't want a product that's going to give up after a few hard blows. Quality and safety are an integral part of our manufacturing process, so you can be confident that our tires will take all the punishment you can dish out, and then some.

### VALUE

When your business never sleeps, there's no time for down time. At Yokohama, we value what it takes to maintain a productive operation, so we provide value in every product we make.





# THE VALUE OF TECHNOLOGY

It begins with state-of-the-art manufacturing processes that have been continuously developed and refined over more than four decades. Rigorous testing that accepts no excuses. And quality control systems designed to reveal the tiniest flaws. From here, we strive for extreme performance using innovative tread designs, specialized tread patterns and superior abrasion resistance. The result is a line of OTR tires that work as hard as you do.

## TREAD DESIGN

Engineered to deliver long service life in extreme conditions, our wide range of tread patterns and compounds are designed to meet your requirements for increased grip, traction and service life—no matter what surface you're working with.

## BIAS CONSTRUCTION

Our bias ply tires are engineered to perform in the most rugged jobsites, and some are even available with Steel Breaker technology. Steel breakers provide superior cut resistance for loaders, dozers and dump trucks even in the harshest conditions.

## ENVIRONMENT

"Excellence by Nature" is our corporate slogan. It's how we approach everything we do as a leading global innovator and business partner. It also reflects our commitment to the environment and sustainability and guides all of our product development and technological advancements.

# OUR BIAS TIRES

## Y565 E-3



| Part# | Size     | Ply | Depth |
|-------|----------|-----|-------|
| 03179 | 36.00-51 | 58  | 65    |
| 03180 | 36.00-51 | 66  | 65    |

## Y523 E-4



| Part# | Size     | Ply | Depth | Part# | Size     | Ply | Depth |
|-------|----------|-----|-------|-------|----------|-----|-------|
| 02326 | 16.00-25 | 28  | 75    | 52322 | 24.00-35 | 42  | 81    |
| 52304 | 18.00-25 | 32  | 77    | 52339 | 24.00-49 | 42  | 81    |
| 52315 | 18.00-33 | 32  | 71    | 52341 | 27.00-49 | 48  | 90    |
| 52318 | 18.00-33 | 32  | 71    | 52373 | 27.00-49 | 48  | 90    |
| 02302 | 21.00-35 | 36  | 80    | 52345 | 36.00-51 | 50  | 116   |
| 02336 | 21.00-35 | 36  | 80    | 02307 | 40.00-57 | 68  | 117   |
| 52320 | 21.00-35 | 40  | 80    | 02308 | 40.00-57 | 76  | 117   |
| 02320 | 24.00-35 | 42  | 81    |       |          |     |       |

## Y526 L-3



| Part# | Size    | Ply | Depth |
|-------|---------|-----|-------|
| 52632 | 23.5-25 | 16  | 51    |

## Y575 L-3



| Part# | Size    | Ply | Depth |
|-------|---------|-----|-------|
| 57505 | 17.5-25 | 12  | 38    |
| 57506 | 17.5-25 | 16  | 38    |
| 57501 | 20.5-25 | 12  | 41    |
| 57508 | 20.5-25 | 20  | 41    |
| 57504 | 23.5-25 | 16  | 53    |
| 57507 | 23.5-25 | 20  | 53    |
| 57509 | 26.5-25 | 20  | 54    |
| 57512 | 26.5-25 | 24  | 54    |
| 57514 | 29.5-25 | 28  | 62    |



## Y524Z L-5



| Part# | Size     | Ply | Depth |
|-------|----------|-----|-------|
| 52443 | 35/65-33 | 42  | 121   |
| 52440 | 45/65-45 | 58  | 145   |

## Y69 L-5S



| Part# | Size         | Ply | Depth |
|-------|--------------|-----|-------|
| 06902 | 12.00-24 NHS | 16  | 69    |
| 06954 | 14.00-24 NHS | 20  | 79    |
| 06952 | 17.5-25      | 16  | 87    |
| 06955 | 17.5-25      | 20  | 87    |
| 06932 | 18.00-25     | 28  | 105   |
| 06906 | 18.00-25     | 32  | 105   |
| 06933 | 20.5-25      | 16  | 102   |
| 06935 | 23.5-25      | 20  | 117   |





# CONSTRUCTION & MINING BIAS TIRES



## Y67 E-3

| Part# | Size         | Ply | Depth | Part# | Size     | Ply | Depth | Part# | Size     | Ply | Depth |
|-------|--------------|-----|-------|-------|----------|-----|-------|-------|----------|-----|-------|
| 06722 | 16.00-24 NHS | 24  | 43    | 06760 | 26.5-29  | 26  | 51    | 16701 | 37.25-35 | 30  | 64    |
| 06708 | 14.00-25     | 24  | 35    | 06764 | 29.5-29  | 34  | 62    | 16751 | 37.25-35 | 30  | 64    |
| 06709 | 16.00-25     | 24  | 43    | 16752 | 33.25-29 | 26  | 58    | 16715 | 37.25-35 | 36  | 64    |
| 06710 | 16.00-25     | 28  | 43    | 16753 | 33.25-29 | 32  | 58    | 16710 | 37.5-39  | 44  | 68    |
| 06732 | 18.00-25     | 32  | 49    | 06766 | 29.5-35  | 34  | 50    | 16712 | 37.5-39  | 52  | 68    |
| 06759 | 26.5-25      | 26  | 57    | 16711 | 33.25-35 | 32  | 59    |       |          |     |       |
| 06762 | 29.5-25      | 28  | 62    | 06770 | 33.25-35 | 38  | 59    |       |          |     |       |

## Y567 E-4

| Part# | Size     | Ply | Depth |
|-------|----------|-----|-------|
| 56755 | 33.00-51 | 50  | 104   |
| 56750 | 33.00-51 | 58  | 104   |
| 56752 | 33.00-51 | 58  | 104   |
| 56754 | 33.00-51 | 50  | 104   |
| 56751 | 40.00-57 | 68  | 117   |
| 56753 | 40.00-57 | 68  | 117   |



## Y103 L-2

| Part# | Size    | Ply | Depth |
|-------|---------|-----|-------|
| 10350 | 15.5-25 | 12  | 32    |
| 10352 | 17.5-25 | 12  | 34    |
| 10361 | 20.5-25 | 12  | 40    |
| 10362 | 20.5-25 | 16  | 40    |
| 10364 | 23.5-25 | 16  | 45    |

## Y67 L-3

| Part# | Size       | Ply | Depth |
|-------|------------|-----|-------|
| 06701 | 13.00-24TG | 16  | 35    |
| 06705 | 17.5-25    | 12  | 38    |
| 06706 | 17.5-25    | 16  | 38    |
| 06723 | 20.5-25    | 16  | 42    |
| 06726 | 23.5-25    | 16  | 53    |



## Y67E L-4

| Part# | Size    | Ply | Depth |
|-------|---------|-----|-------|
| 06774 | 29.5-29 | 28  | 99    |



## Y545 L-4

| Part# | Size     | Ply | Depth |
|-------|----------|-----|-------|
| 54503 | 23.5-25  | 20  | 71    |
| 54502 | 23.5-25  | 24  | 71    |
| 54505 | 26.5-25  | 20  | 86    |
| 54506 | 26.5-25  | 24  | 86    |
| 54501 | 29.5-25  | 28  | 92    |
| 54512 | 35/65-33 | 30  | 79    |
| 54515 | 35/65-33 | 42  | 79    |
| 54507 | 45/65-45 | 58  | 89    |



## Y524 L-5

| Part# | Size    | Ply | Depth | Part# | Size     | Ply | Depth |
|-------|---------|-----|-------|-------|----------|-----|-------|
| 52401 | 20.5-25 | 16  | 101   | 52409 | 29.5-29  | 28  | 134   |
| 52402 | 20.5-25 | 20  | 101   | 52433 | 35/65-33 | 24  | 121   |
| 52403 | 23.5-25 | 16  | 111   | 52444 | 35/65-33 | 30  | 121   |
| 52404 | 23.5-25 | 20  | 111   | 52436 | 35/65-33 | 42  | 121   |
| 52405 | 26.5-25 | 20  | 122   | 52427 | 45/65-45 | 38  | 145   |
| 52406 | 26.5-25 | 24  | 122   | 52420 | 45/65-45 | 50  | 145   |
| 52431 | 29.5-25 | 28  | 140   | 52442 | 45/65-45 | 58  | 145   |

## Y69K L-5S

| Part# | Size     | Ply | Depth |
|-------|----------|-----|-------|
| 06906 | 18.00-25 | 32  | 105   |
| 06905 | 26.5-25  | 32  | 114   |
| 06965 | 29.5-29  | 34  | 136   |



## Y103 G-2

| Part# | Size       | Ply | Depth |
|-------|------------|-----|-------|
| 10356 | 13.00-24TG | 12  | 34    |
| 10357 | 14.00-24TG | 12  | 36    |

## Y67 G-3

| Part# | Size       | Ply | Depth |
|-------|------------|-----|-------|
| 06719 | 13.00-24TG | 12  | 35    |
| 06720 | 14.00-24TG | 16  | 35    |
| 06721 | 16.00-24TG | 16  | 43    |







SIZES AND SPECIFICATIONS

| TIRE SIZE    | PART NUMBER | COMPOUND | PLY RATING | GROOVE DEPTH | RIM SIZE     | INFLATED DIMENSIONS     |                      | LOADED DIMENSIONS    |                     | SHIP WEIGHT | TIRE SIZE    | PART NUMBER | COMPOUND | PLY RATING | GROOVE DEPTH | RIM SIZE     | INFLATED DIMENSIONS     |                      | LOADED DIMENSIONS    |                     | SHIP WEIGHT |
|--------------|-------------|----------|------------|--------------|--------------|-------------------------|----------------------|----------------------|---------------------|-------------|--------------|-------------|----------|------------|--------------|--------------|-------------------------|----------------------|----------------------|---------------------|-------------|
|              |             |          |            |              |              | OVERALL DIAMETER (INCH) | OVERALL WIDTH (INCH) | STATIC RADIUS (INCH) | STATIC WIDTH (INCH) |             |              |             |          |            |              |              | OVERALL DIAMETER (INCH) | OVERALL WIDTH (INCH) | STATIC RADIUS (INCH) | STATIC WIDTH (INCH) |             |
| EARTHMOVER   |             |          |            |              |              |                         |                      |                      |                     |             | Y575 L-3     |             |          |            |              |              |                         |                      |                      |                     |             |
| Y67 E-3      |             |          |            |              |              |                         |                      |                      |                     |             | 17.5-25      | 57505       | CP       | 12         | 38           | 14.00x25-1.5 | 52.8                    | 17.1                 | 23.4                 | 18.6                | 260         |
| 16.00-24 NHS | 06722       | REG      | 24         | 43           | 11.25x24-2.0 | 58.1                    | 17.5                 | 27.0                 | 18.4                | 428         | 17.5-25      | 57506       | CP       | 16         | 38           | 14.00x25-1.5 | 52.8                    | 17.1                 | 23.4                 | 18.6                | 277         |
| 14.00-25     | 06708       | CP       | 24         | 35           | 10.00x25-1.5 | 53.0                    | 15.0                 | 24.6                 | 16.1                | 292         | 20.5-25      | 57501       | CP       | 12         | 41           | 17.00x25-2.0 | 58.8                    | 20.9                 | 26.1                 | 22.5                | 362         |
| 16.00-25     | 06709       | CP       | 24         | 43           | 11.25x25-2.0 | 58.1                    | 17.5                 | 27.0                 | 18.4                | 432         | 20.5-25      | 57508       | CP       | 20         | 41           | 17.00x25-2.0 | 58.8                    | 20.9                 | 26.1                 | 22.5                | 427         |
| 16.00-25     | 06710       | CP       | 28         | 43           | 11.25x25-2.0 | 58.1                    | 17.5                 | 27.0                 | 18.4                | 451         | 23.5-25      | 57504       | CP       | 16         | 53           | 19.50x25-2.5 | 63.2                    | 23.8                 | 27.9                 | 25.4                | 581         |
| 18.00-25     | 06732       | CP       | 32         | 49           | 13.00x25-2.5 | 63.0                    | 20.1                 | 29.0                 | 21.0                | 558         | 23.5-25      | 57507       | CP       | 20         | 53           | 19.50x25-2.5 | 63.2                    | 23.8                 | 27.9                 | 25.4                | 612         |
| 26.5-25      | 06759       | REG      | 26         | 57           | 22.00x25-3.0 | 68.1                    | 27.6                 | 30.6                 | 28.8                | 844         | 26.5-25      | 57509       | CP       | 20         | 54           | 22.00x25-3.0 | 68.5                    | 27.2                 | 30.3                 | 28.9                | 875         |
| 29.5-25      | 06762       | REG      | 28         | 62           | 25.00x25-3.5 | 73.9                    | 30.6                 | 32.4                 | 32.5                | 1068        | 26.5-25      | 57512       | CP       | 24         | 54           | 22.00x25-3.0 | 68.5                    | 27.2                 | 30.3                 | 28.9                | 910         |
| 26.5-29      | 06760       | REG      | 26         | 51           | 22.00x29-3.0 | 72.2                    | 27.2                 | 32.6                 | 28.5                | 894         | 29.5-25      | 57514       | CP       | 28         | 62           | 25.00x25-3.5 | 73.0                    | 30.1                 | 32.0                 | 32.7                | 1256        |
| 29.5-29      | 06764       | CP       | 34         | 62           | 25.00x29-3.5 | 76.9                    | 30.3                 | 34.5                 | 31.7                | 1236        | Y67E L-4     |             |          |            |              |              |                         |                      |                      |                     |             |
| 33.25-29     | 16752       | CP       | 26         | 58           | 27.00x29-3.5 | 81.9                    | 33.4                 | 36.4                 | 34.4                | 1547        | 29.5-29      | 06774       | CP       | 28         | 99           | 25.00x29-3.5 | 79.3                    | 30.3                 | 35.6                 | 32.4                | 1654        |
| 33.25-29     | 16753       | CP       | 32         | 58           | 27.00x29-3.5 | 81.9                    | 33.4                 | 36.4                 | 34.4                | 1597        | Y545 L-4     |             |          |            |              |              |                         |                      |                      |                     |             |
| 29.5-35      | 06766       | REG      | 34         | 50           | 25.00x35-3.5 | 83.5                    | 30.6                 | 38.0                 | 32.2                | 1465        | 23.5-25      | 54503       | CP       | 20         | 71           | 19.50x25-2.5 | 65.4                    | 24.2                 | 29.9                 | 26.0                | 896         |
| 33.25-35     | 16711       | CP       | 32         | 59           | 27.00x35-3.5 | 88.5                    | 33.6                 | 39.5                 | 35.4                | 1690        | 23.5-25      | 54502       | CP       | 24         | 71           | 19.50x25-2.5 | 65.4                    | 24.2                 | 29.9                 | 26.0                | 922         |
| 33.25-35     | 06770       | REG      | 38         | 59           | 27.00x35-3.5 | 88.5                    | 33.6                 | 39.5                 | 35.4                | 1800        | 26.5-25      | 54505       | CP       | 20         | 86           | 22.00x25-3.0 | 70.3                    | 27.7                 | 31.5                 | 30.1                | 1157        |
| 37.25-35     | 16701       | CP       | 30         | 64           | 31.00x35-4.0 | 94.1                    | 37.8                 | 41.7                 | 39.8                | 2124        | 26.5-25      | 54506       | CP       | 24         | 86           | 22.00x25-3.0 | 70.3                    | 27.7                 | 31.5                 | 30.1                | 1198        |
| 37.25-35     | 16751       | CPBP     | 30         | 64           | 31.00x35-4.0 | 94.1                    | 37.8                 | 41.7                 | 39.8                | 1852        | 29.5-25      | 54501       | CP       | 28         | 92           | 25.00x25-3.5 | 74.8                    | 30.9                 | 33.3                 | 33.1                | 1490        |
| 37.25-35     | 16715       | CP       | 36         | 64           | 31.00x35-4.0 | 94.1                    | 37.8                 | 41.7                 | 39.8                | 2150        | 35/65-33     | 54512       | REG      | 30         | 79           | 28.00x33-3.5 | 82.0                    | 35.5                 | 37.5                 | 36.4                | 2244        |
| 37.5-39      | 16710       | CP       | 44         | 68           | 32.00x39-4.5 | 99.0                    | 38.1                 | 44.8                 | 40.0                | 2541        | 35/65-33     | 54515       | REG      | 42         | 79           | 28.00x33-3.5 | 82.0                    | 35.5                 | 37.5                 | 36.4                | 2395        |
| 37.5-39      | 16712       | REG      | 52         | 68           | 32.00x39-4.5 | 99.0                    | 38.1                 | 44.8                 | 40.0                | 2606        | 45/65-45     | 54507       | CP       | 58         | 89           | 36.00x45-4.5 | 107.5                   | 45.3                 | 48.8                 | 47.4                | 4944        |
| Y565 E-3     |             |          |            |              |              |                         |                      |                      |                     |             | Y524 L-5     |             |          |            |              |              |                         |                      |                      |                     |             |
| 16.00-51     | 03179       | RET      | 58         | 65           | 26.00x51-5.0 | 126.0                   | 41.1                 | 57.5                 | 43.3                | 4900        | 20.5-25      | 52401       | CP       | 16         | 101          | 17.0x25-2.00 | 61.3                    | 21.2                 | 28.4                 | 22.6                | 754         |
| 16.00-51     | 03180       | RET      | 66         | 65           | 26.00x51-5.0 | 126.0                   | 41.1                 | 57.5                 | 43.3                | 5204        | 20.5-25      | 52402       | CP       | 20         | 101          | 17.0x25-2.00 | 61.3                    | 21.2                 | 28.4                 | 22.6                | 793         |
| Y523 E-4     |             |          |            |              |              |                         |                      |                      |                     |             | 23.5-25      | 52403       | CP       | 16         | 111          | 19.50x25-2.5 | 65.6                    | 24.4                 | 30.1                 | 26.1                | 1037        |
| 16.00-25     | 02326       | CPC      | 28         | 75           | 11.25x25-2.0 | 60.6                    | 17.4                 | 28.5                 | 18.4                | 607         | 23.5-25      | 52404       | CP       | 20         | 111          | 19.50x25-2.5 | 65.6                    | 24.4                 | 30.1                 | 26.1                | 1069        |
| 18.00-25     | 52304       | ID       | 32         | 77           | 13.00x25-2.5 | 65.0                    | 20.4                 | 30.4                 | 21.3                | 818         | 26.5-25      | 52405       | CP       | 20         | 122          | 22.00x25-3.0 | 70.7                    | 26.9                 | 32.3                 | 28.4                | 1365        |
| 18.00-33     | 52315       | CP       | 32         | 71           | 13.00x33-2.5 | 72.8                    | 20.4                 | 34.2                 | 21.3                | 868         | 26.5-25      | 52406       | CP       | 24         | 122          | 22.00x25-3.0 | 70.7                    | 26.9                 | 32.3                 | 28.4                | 1369        |
| 18.00-33     | 52318       | RER      | 32         | 71           | 13.00x33-2.5 | 72.8                    | 20.4                 | 34.2                 | 21.3                | 865         | 29.5-25      | 52431       | CP       | 28         | 140          | 25.00x25-3.5 | 75.1                    | 30.5                 | 34.2                 | 32.5                | 1870        |
| 21.00-35     | 02302       | CPC      | 36         | 80           | 15.00x35-3.0 | 80.5                    | 23.2                 | 37.2                 | 24.5                | 1221        | 29.5-29      | 52409       | CP       | 28         | 134          | 25.00x29-3.5 | 80.3                    | 30.4                 | 36.0                 | 32.7                | 1852        |
| 21.00-35     | 02336       | CPC      | 36         | 80           | 15.00x35-3.0 | 80.5                    | 23.2                 | 33.2                 | 24.5                | 1355        | 35/65-33     | 52433       | CP       | 24         | 121          | 28.00x33-3.5 | 81.7                    | 35.4                 | 37.5                 | 36.7                | 2385        |
| 21.00-35     | 52320       | RER      | 40         | 80           | 15.00x35-3.0 | 80.5                    | 23.2                 | 37.2                 | 24.5                | 1238        | 35/65-33     | 52444       | CP       | 30         | 121          | 28.00x33-3.5 | 81.7                    | 35.4                 | 37.5                 | 36.7                | 2453        |
| 24.00-35     | 02320       | CPC      | 42         | 81           | 17.00x35-3.5 | 84.5                    | 26.2                 | 39.0                 | 28.0                | 1584        | 35/65-33     | 52436       | CP       | 42         | 121          | 28.00x33-3.5 | 81.7                    | 35.4                 | 37.5                 | 36.7                | 2686        |
| 24.00-35     | 52322       | RER      | 42         | 81           | 17.00x35-3.5 | 84.5                    | 26.2                 | 39.0                 | 28.0                | 1551        | 45/65-45     | 52427       | CP       | 38         | 145          | 36.00x45-4.5 | 107.9                   | 46.5                 | 49.6                 | 48.4                | 4948        |
| 27.00-49     | 52339       | CPC      | 42         | 81           | 17.00x49-3.5 | 99.6                    | 25.8                 | 46.6                 | 27.4                | 2243        | 45/65-45     | 52420       | CP       | 50         | 145          | 36.00x45-4.5 | 107.9                   | 46.5                 | 49.6                 | 48.4                | 5418        |
| 27.00-49     | 52341       | CPC      | 48         | 90           | 19.50x49-4.0 | 105.5                   | 29.4                 | 49.0                 | 31.1                | 2501        | 45/65-45     | 52442       | CP       | 58         | 145          | 36.00x45-4.5 | 107.9                   | 46.5                 | 49.6                 | 48.4                | 6230        |
| 27.00-49     | 52373       | RER      | 48         | 90           | 19.50x49-4.0 | 105.5                   | 29.4                 | 49.0                 | 31.1                | 2476        | Y524Z L-5    |             |          |            |              |              |                         |                      |                      |                     |             |
| 36.00-51     | 52345       | CPC      | 50         | 116          | 26.00x51-5.0 | 125.9                   | 40.9                 | 58.1                 | 42.9                | 5644        | 35/65-33     | 52443       | CP       | 42         | 121          | 28.00x33-3.5 | 81.3                    | 35.7                 | 37.6                 | 36.8                | 2821        |
| 40.00-57     | 02307       | RET      | 68         | 117          | 29.00x57-6.0 | 139.8                   | 44.4                 | 63.9                 | 47.2                | 7788        | 45/65-45     | 52440       | CP       | 58         | 145          | 36.00x45-4.5 | 107.9                   | 46.5                 | 49.6                 | 48.4                | 5972        |
| 40.00-57     | 02308       | RET      | 76         | 117          | 29.00x57-6.0 | 139.8                   | 44.4                 | 63.9                 | 47.2                | 7787        | Y69 L-5S     |             |          |            |              |              |                         |                      |                      |                     |             |
| Y567 E-4     |             |          |            |              |              |                         |                      |                      |                     |             | 12.00-24 NHS | 06902       | CP       | 16         | 69           | 8.50Vx24     | 50.4                    | 13.1                 | 23.8                 | 14.0                | 326         |
| 33.00-51     | 56755       | RER      | 50         | 104          | 24.00x51-5.0 | 119.6                   | 36.5                 | 55.3                 | 38.8                | 4201        | 14.00-24 NHS | 06954       | CP       | 20         | 79           | 10.00Wx24    | 53.7                    | 15.0                 | 25.7                 | 15.5                | 460         |
| 33.00-51     | 56750       | CPC      | 58         | 104          | 24.00x51-5.0 | 119.6                   | 36.5                 | 55.3                 | 38.8                | 4479        | 17.5-25      | 06952       | CP       | 16         | 87           | 14.00x25-1.5 | 54.7                    | 16.9                 | 25.6                 | 17.9                | 562         |
| 33.00-51     | 56752       | RET      | 58         | 104          | 24.00x51-5.0 | 119.6                   | 36.5                 | 55.3                 | 38.8                | 4741        | 17.5-25      | 06955       | CP       | 20         | 87           | 14.00x25-1.5 | 54.7                    | 16.9                 | 25.6                 | 17.9                | 582         |
| 33.00-51     | 56754       | CP-5     | 50         | 104          | 24.00x51-5.0 | 119.6                   | 36.5                 | 55.3                 | 38.8                | 4847        | 18.00-25     | 06932       | CP       | 28         | 105          | 13.00x25-2.5 | 65.0                    | 21.0                 | 29.6                 | 22.5                | 968         |
| 40.00-57     | 56751       | RER      | 68         | 117          | 24.00x57-6.0 | 139.5                   | 44.4                 | 63.8                 | 47.2                | 7450        | 18.00-25     | 06906       | CP       | 32         | 105          | 13.00x25-2.5 | 65.0                    | 21.0                 | 29.6                 | 22.5                | 1187        |
| 40.00-57     | 56753       | CPC      | 68         | 117          | 29.00x57-6.0 | 139.5                   | 44.4                 | 63.8                 | 47.2                | 7494        | 20.5-25      | 06933       | CP       | 16         | 102          | 17.00x25-2.0 | 60.8                    | 21.3                 | 28.1                 | 22.2                | 761         |
| LOADER       |             |          |            |              |              |                         |                      |                      |                     |             | 23.5-25      | 06935       | CP       | 20         | 117          | 19.50x25-2.5 | 64.4                    | 24.3                 | 29.4                 | 25.7                | 1062        |
| Y103 L-2     |             |          |            |              |              |                         |                      |                      |                     |             | Y69K L-5S    |             |          |            |              |              |                         |                      |                      |                     |             |
| 15.5-25      | 10350       | CP       | 12         | 32           | 12.00x25-1.3 | 50.6                    | 15.4                 | 22.6                 | 17.0                | 202         | 18.00-25     | 06906       | CP       | 32         | 105          | 13.00x25-2.5 | 65.0                    | 21.0                 | 29.6                 | 22.5                | 1187        |
| 17.5-25      | 10352       | CP       | 12         | 34           | 14.00x25-1.5 | 53.1                    | 17.1                 | 24.4                 | 18.1                | 239         | 26.5-25      | 06905       | CP       | 32         | 114          | 22.00x25-3.0 | 70.5                    | 27.4                 | 32.5                 | 28.5                | 1697        |
| 20.5-25      | 10361       | CP       | 12         | 40           | 17.00x25-2.0 | 58.9                    | 21.1                 | 25.5                 | 23.0                | 325         | 29.5-29      | 06965       | CP       | 34         | 136          | 25.00x29-3.5 | 79.5                    | 30.8                 | 36.9                 | 32.3                | 2267        |
| 20.5-25      | 10362       | CP       | 16         | 40           | 17.00x25-2.0 | 58.9                    | 21.1                 | 25.5                 | 23.0                | 346         | GRADER       |             |          |            |              |              |                         |                      |                      |                     |             |
| 23.5-25      | 10364       | CP       | 16         | 45           | 19.50x25-2.5 | 63.8                    | 24.1                 | 27.0                 | 26.8                | 517         | Y103 G-2     |             |          |            |              |              |                         |                      |                      |                     |             |
| Y67 L-3      |             |          |            |              |              |                         |                      |                      |                     |             | 13.00-24 TG  | 10356       | CP       | 12         | 34           | 8.00TGx24    | 50.4                    | 13.6                 | 22.7                 | 15.1                | 173         |
| 13.00-24 TG  | 06701       | CP       | 16         | 35           | 8.00TGx24    | 50.4                    | 13.7                 | 23.1                 | 15.1                | 262         | 14.00-24 TG  | 10357       | CP       | 12         | 36           | 8.00TGx24    | 52.8                    | 14.6                 | 23.8                 | 16.1                | 206         |
| 17.5-25      | 06705       | CP       | 12         | 38           | 14.00x25-1.5 | 53.1                    | 17.4                 | 23.6                 | 19.0                | 265         | Y67 G-3      |             |          |            |              |              |                         |                      |                      |                     |             |
| 17.5-25      | 06706       | CP       | 16         | 38           | 14.00x25-1.5 | 53.1                    | 17.4                 | 23.6                 | 19.0                | 282         | 13.00-24 TG  | 06719       | CP       | 12         | 35           | 8.00TGx24    | 50.4                    | 13.1                 | 23.1                 | 14.1                | 203         |
| 20.5-25      | 06723       | CP       | 16         | 42           | 17.00x25-2.0 | 59.0                    | 20.8                 | 25.6                 | 22.8                | 366         | 14.00-24 TG  | 06720       | CP       | 16         | 35           | 8.00TGx24    | 53.2                    | 14.3                 | 24.6                 | 15.3                | 261         |
| 23.5-25      | 06726       | CP       | 16         | 53           | 19.50x25-2.5 | 63.2                    | 23.5                 | 27.9                 | 25.0                | 583         | 16.00-24 TG  | 06721       | CP       | 16         | 43           | 10.00Vx24    | 58.1                    | 17.5                 | 27.0                 | 18.4                | 404         |
| Y526 L-3     |             |          |            |              |              |                         |                      |                      |                     |             |              |             |          |            |              |              |                         |                      |                      |                     |             |
| 23.5-25      | 52632       | CP       | 16         | 51           | 19.50x25-2.5 | 63.4                    | 24.2                 | 28.0                 | 26.1                | 738         |              |             |          |            |              |              |                         |                      |                      |                     |             |